


H5 Refresh/Update 12th November 23

1. Go to the Web Procedure extension. Make sure that the Form Method is POST



Web Procedure Extension

Window Controls Page Properties Advanced Classes

Return if launched from browser

Support Client Side Controls Manipulation?

Form Method: POST

Override Global Settings

Override Global Skeletons

Window Customisation

Local Override

Override Table Layout: Override, Use only on Desktop

Controls Alignment: left

Text Alignment: left

Children Overflow Container

Submitte Form On Cancel (back button)

window-panel DIV Class: [] E

main-content DIV Class: [] E


OK

Cancel

Help

Quick Access

2. Go to the Controls Tab of the Web Procedure Extension




Web Procedure Extension

Window Controls Page Properties Advanced Classes

Individual control options

3. Select the Control you want and choose the EVENTS tab and make sure Refresh When Changed is ticked.



Individual Override for ?MemProO:Oak


Display Html Events Properties Classes

Html id: MEMPROO_OAK

Refresh when changed

H5 Refresh/Update 12th November 23

4. Control Events Embed – For the field in question: in the standard Accepted embed after the Generate Code enter the code required to action when the field is updated.



I use this approach in an application the builds a stock selection wizard, un-hiding the fields as each choice is made and setting a filter for lookup tables.